

# 旋转式机械手

## Swing Arm Robots

X - 650[V]

注塑用机械手  
TAKE-OUT ROBOT

X-650[V]



Injection Press Range

80 ~ 150ton

型式 MODEL	单位 UNIT	X-650[V]
Power Source	V	AC 220± 10% 50/60Hz
Max Power Consumption	KW	0.1
Air Pressure	Mpa	0.5 0.7
Air Consumption	NI/cycle	17.7
Drive System	- - -	/Air Cylinder
Chuck twist	- - -	90°
0.49MPa	Air Cylinder Driving Force (Air Pressure at 0.49MPa)	
Max. Load	Kg	2 /Incl Chuck Weight
Stroke		
Vertical	mm	650
Crosswise	mm	120
Swing	mm	50° 90° 0° Fixed
Net Weight		
Main Body	Kg	52

---

基本动作 MOTION PATTERN

Type 1

---

Feature and scope of the product does not guarantee the product attributes, only for reference. Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract. Technical data and illustration are only for reference. We reserve the rights of changing.

TSD- 2021- 12

**广东拓斯达科技股份有限公司**  
GUANGDONG TOPSTAR TECHNOLOGY CO.,LTD.

2

ADD : No.2 Chuangxin Road, Datanglang, Dalingshan Town, Dongguan City,  
Guangdong Province.

TEL 0769- 8305 0999 FAX 0769- 8584 5562

Domestic Service Hotline **400-096-8005**

